```
(株ま式) 國立中山大學八十七學年度碩博士班招生考試試題
```

二. 言式书下引偏微分才程式之解。(25%)

$$\frac{\partial^2 u}{\partial x^2} = xe^{\frac{1}{y}}$$

$$U(0, y) = y^2$$

$$U(1, y) = \sin y$$

(b) it tan' = (for \$70) à Inverse Laplace Transform (10%)

20

25

四、求於平面上,通過點(1,1)好X= Y直線交成直角,並滿足 Y"X +2 Y'=。 之曲線方程光道何。(15%)

五.下到各些數在所示區間內養線。生相依或線性獨立?並說明原因。

(a)
$$e^{2X}$$
; e^{-2X} (- $\infty < x < \infty$) (5%)

(###) 國立中山大學八十七學年度碩博士班招生考試試題 科 目: 環境工程 概論(環工所甲、乙組) 共 2 页 # 1

2.	Define the following terms: (10%) 1) total dissolved solids 2) total Kjeldahl nitrogen (TKN) 3) chemical oxygen demand (COD) 4) Winkler test for dissolved oxygen 5) eutrophication 5) MPN for E-coli measurement 7) brake horsepower (BHP) 8) sludge volume index (SVI) 9) nonpoint source water pollution 10) denitrification Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the following processes: A. prechlorination 3. flash mixing	
2.	Define the following terms: (10%) 1) total dissolved solids 2) total Kjeldahl nitrogen (TKN) 3) chemical oxygen demand (COD) 4) Winkler test for dissolved oxygen 5) eutrophication 6) MPN for E-coli measurement 7) brake horsepower (BHP) 8) sludge volume index (SVI) 9) nonpoint source water pollution 10) denitrification Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the following processes: A. prechlorination	
2.	1) total dissolved solids 2) total Kjeldahl nitrogen (TKN) 3) chemical oxygen demand (COD) 4) Winkler test for dissolved oxygen 5) eutrophication 6) MPN for E-coli measurement 7) brake horsepower (BHP) 8) sludge volume index (SVI) 9) nonpoint source water pollution 10) denitrification Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the following processes: A. prechlorination	
2.	1) total dissolved solids 2) total Kjeldahl nitrogen (TKN) 3) chemical oxygen demand (COD) 4) Winkler test for dissolved oxygen 5) eutrophication 6) MPN for E-coli measurement 7) brake horsepower (BHP) 8) sludge volume index (SVI) 9) nonpoint source water pollution 10) denitrification Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the following processes: A. prechlorination	
2.	2) total Kjeldahl nitrogen (TKN) 3) chemical oxygen demand (COD) 4) Winkler test for dissolved oxygen 5) eutrophication 6) MPN for E-coli measurement 7) brake horsepower (BHP) 8) sludge volume index (SVI) 9) nonpoint source water pollution 10) denitrification Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the following processes: A. prechlorination	
2.	3) chemical oxygen demand (COD) 4) Winkler test for dissolved oxygen 5) eutrophication 6) MPN for E-coli measurement 7) brake horsepower (BHP) 8) sludge volume index (SVI) 9) nonpoint source water pollution 10) denitrification Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the following processes: A. prechlorination	
2.	4) Winkler test for dissolved oxygen 5) eutrophication 6) MPN for E-coli measurement 7) brake horsepower (BHP) 8) sludge volume index (SVI) 9) nonpoint source water pollution 10) denitrification Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the collowing processes: A. prechlorination	
2.	5) eutrophication 5) MPN for E-coli measurement 7) brake horsepower (BHP) 8) sludge volume index (SVI) 9) nonpoint source water pollution 10) denitrification Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the collowing processes: A. prechlorination	
2.	5) MPN for E-coli measurement 7) brake horsepower (BHP) 8) sludge volume index (SVI) 9) nonpoint source water pollution 10) denitrification Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the collowing processes: A. prechlorination	
2.	7) brake horsepower (BHP) 8) sludge volume index (SVI) 9) nonpoint source water pollution 10) denitrification Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the following processes: A. prechlorination	
2.	8) sludge volume index (SVI) 9) nonpoint source water pollution 10) denitrification Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the collowing processes: A. prechlorination	
2.	9) nonpoint source water pollution 10) denitrification Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the following processes: A. prechlorination	
2.	Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the collowing processes:	÷
2.	Oue to the presence of organics, a water treatment plant receives water with excessive color (much higher than 100 CU). The water is taken through the following processes: A. prechlorination	
	xcessive color (much higher than 100 CU). The water is taken through the following processes: A. prechlorination	·
	xcessive color (much higher than 100 CU). The water is taken through the following processes: A. prechlorination	
	ollowing processes: A. prechlorination	
	A. prechlorination	
	•	
	C. flocculation	
	D. sedimentation	
	E. filtration	
	. storage	
	3. chlorination	
	I. distribution	
	1) Briefly explain the purpose of each of the first seven steps. (7%)	
	2) How are trihalomethanes (THMs) introduced into water supplies? (2%)	
	3) How are THMs reduced? (2%)	
	4) What are the problems inherent with THM treatments? (2%)	
	5) What problems might the plant have in meeting the EPA requirements for	
	chlorinated organics? (2%)	
3.	The following three questions are related to wastewater treatment processes.	
	1) What is the objective of wastewater treatment? (3%)	
	2) Describe the objectives and typical components of pretreatment, primary	
	4	
•	treatment, secondary treatment, and tertiary treatment. (6%)	
	treatment, secondary treatment, and tertiary treatment. (6%) 3) Describe the suitable pretreatment techniques for the following industrial	

(###) 國立中山大學八十七學年度碩博士班招生考試試題 科 目:環境工程概論(環工所甲,乙組) #2頁 #2頁

4. Describe the general processes for sludge treatment and disposal. What are the sources of sludge? (10%) 5. Give five separation methods commonly employed by material recovery facilities of municipal solid waste (MSW). (10%) 6. What are the important characteristics for developing engineered solution to MSW management? Why? (12%) 7. Describe the final disposal methods practiced for wastes in Taiwan. Give a 10 sample waste for each method. (10%) 8. Define and/or describe the following terms: (10%) (1) high-volume sample (2) opacity (3) photochemical smog (4) thermal fixation of atmospheric nitrogen (5) $L_{10} = 70 \text{ dB(A)}$ 15 9. Give four options or techniques for reducing emissions of sulfide oxides. (8%) 20

25

10

15

20

25

(横書式) 國立中山大學八十七學年度碩博士班招生考試試題

科目: 流體力學 (環工所甲組)


共3頁第/頁

15

20

25


1. A hydroelectric power plant takes in 30 m³/s of water through its turbine and discharges it at $V_2 = 2$ m/s at atmospheric pressure. The head loss in the turbine and penstock system is $h_f = 20$ m. Estimate the power extracted by the turbine in megawatts. (15%)



- 2. Explain: (a) Nonnewtonian Fluids (3%)
 - (b) Surface Tension (3%)
 - (c) Surtherland Law (4%)
- 3. Flow through a converging nozzle can be approximated by a one-dimentional velocity distribution u = u(x). For the nozzle shown, assume that the velocity varies linearly from $u = V_0$ at the entrance to $u = 3 V_0$ at the exit

$$u(x) = V_0 (1 + \frac{2x}{L})$$
 $\frac{\partial u}{\partial x} = \frac{2V_0}{L}$

- (a) Compute the acceleration du/dt as a general function of x. (10%)
- (b) Evaluate du/dt at the entrance and exit if $V_0 = 3$ m/s and L = 1 m. (10%)



25

20

10

15

10

15

20

25

國立中山大學八十七學年度碩博士班招生考試試題目:流體力學(環工所甲組) #3

共3頁第2頁


10

15


20

25

An incompressible fluid passes an impermeable plate with a uniform inlet flow and a parabolic exit flow, as shown in the figure. The parabola has a maximum $(u = U_0)$ at $y = \delta$. Compute the volume flow Q across the top surface of the control volume. (20%)



A weir is an obstruction in a channel flow which can be calibrated to measure flow rate, as shown in the figure. The volume flow Q varies with gravity g, weir width binto the paper, and upstream water height H above the weir crest. If it is known that Q is proportional to b, use the pi theorem to find a unique dimensionless relationship Q(g, b, H). (15%).



10

15

20

25

- V科 目:流體力學(環工所甲組)
 - 6. For laminar flow in a pipe, the head loss h_f is given by $h_f = \frac{128\mu LQ}{\pi \rho g d^4}$

where $h_f = \text{head loss}, [m]$

5

10

15

20

25

 ρ = fluid density, kg/m³.

 μ = fluid viscosity, [kg/m-s]


L = pipe length, [m]

d = pipe diameter, [m]

 $g = \text{gravity} = 9.8 \text{ m/s}^2.$

Q = volume flow rate, m³/s.

Given an oil with $\rho = 800 \text{ kg/m}^3$ and $v = 0.0002 \text{ m}^2/\text{s}$ flows upward through an inclined pipe as shown in the figure. The pressure and elevation are known at sections 1 and 2, 10 m apart. Assuming steady laminar flow, (a) verify that the flow is up, (b) compute hf between 1 and 2, and compute Q. (20%)



國立中山大學八十七學年度碩博士班招生考試試題

科目: 環境心學(環工所乙組)

-. 解釋名詞:(15%)

- 1、酸度(Acidity)
- Z. 石成度(Albalinity)
- 3. 那斯特特奇维式 (Nernst equation)
- 4. 化学需氧量 (Chemical Oxygen Demand)
- 5. 码化(Nitrification)
- 二、以氯氟處理受有机物污染之原水,其處理過程中極易 形成三国中党, 武迹三国中党形成之反應才程式。(10%)
- 三、試描述玻璃电描之構造及其量测 pH 之原理。(10%)
- 四. W NaH SO3 可将六價鉻(Cr6+)還原為三價鉻(Cr3+),三價 备可加碱形成 Cr(OH)3 後沈骏去除。武逝:
 - (1)、上述遗原及沉除反應之方程式。(5%)
 - (3、 魔以何種方式控制避免 NaHSO3 添加過量? (5%)
- 丑、二氧化硫(SO2)溶於水中可形成SO2.H2D、HSO3-、SO4-, 其塔 解才程式女0下: (10%)

$$502 + H20 \longrightarrow 502 \cdot H20$$
 $K_{H} = 1.242 \text{ M/atm}$
 $502 \cdot H20 \longrightarrow H503 + H^{+}$
 $K_{1} = 1.32 \times 10^{-2} \text{ M}$
 $K_{2} = 6.42 \times 10^{-8} \text{ M}$

(1)、武成在pH=4.0時,[SD2·H20]、[HSO]、[SO4~]為多的M? (2)、試繪pC/pH圖。

共 1 頁 第 2 頁

- 六、某實驗擬以磷酸(phosphow)為緩衝溶液,控制pH值 為2.0±0.3,請估算H3P04及NaHP04之添加量為多少M? 已知H3P04之Pka=21,溶液中強酸濃度為10-2M,溶液 温度為25℃,且可忽略3台性校正(activity corrections)。(10%)
- 七、某工厂履制中含有10⁻⁶M之铅及10⁻⁵M之鲜,挺择添加NTA³⁻方式加以属理。當NTA³⁻之添加量為10⁻⁴M呼,請計算放流水中的⁺¹及Pb⁻⁺¹之濃度為多少M?錯合反應方程式如下: (10%)

$$Pb^{2t} + NTA^{3-} \Longrightarrow PbNTA^{-}$$
 $P\beta_{pb} = -11.8$
 $Z_{b}^{2t} + NTA^{3-} \Longrightarrow Z_{n}NTA^{-}$ $P\beta_{Z_{n}} = -10.4$

八、氢氧化物(NOx)在艾氧環境中受強烈陽光之照射而產生光化學反應(Photochemical reactions),其反應式女o下:(15%)

$$NO_{2} + NJ \xrightarrow{k_{1}} NO + O'$$

$$O' + O_{2} \xrightarrow{k_{2}} O_{3}$$

$$O_{3} + NO \xrightarrow{k_{3}} NO_{2} + O_{2}$$

- (1) 請證明[03]的[NO2] (NO] 成正比例関係。
- (2) 試繪圖説明 [NO]、[NO2]、[O3] 在大氣中逐時度化趨勢。
- 九、言式就土壤pH位大角正,回答下列問题:(10%)
 - (1)土壤附值之重要性及其表示方式。
 - (2)土壤 网络端亚方式。

.

_.

2

25